

Fuse r6

PDF Download

Download

Growing up in a military family in Samarkand, Uzbekistan, Shuhrat Kessikbayev immigrated to Russia shortly before the fall of the Soviet Union. His parents encourage him and his brother to embrace all that was Russian, so it wasn't until his teens when he learned to embrace his Uzbek heritage. Kessikbayev and his brother followed in their father's footsteps and enrolled in the military. Showing an aptitude for science at an early age, the military honed Kessikbayev's interest in mechanical engineering and trained him to be a mechanist. Kessikbayev applied these skills in numerous engineering projects which landed him a spot in the coveted weapon testing brigade at Alabino firing range near Moscow. During his time in the 27th Motor Rifle Brigade he excelled as a sharpshooter and has extensive weapon knowledge. Kessikbayev was also known to be a member of the Spetsnaz , however, all operation details have remained classified. Kessikbayev's brother also went missing at an unknown point though the details of his disappearance also remain classified. Developing his own weapon and his ability to improvise in the field with scrap materials and minimal tools made Kessikbayev a legend among his fellow recruits. Despite this, Kessikbayev's methods of breaking down enemy defenses has been seen as reckless by others. In , Kessikbayev had an altercation with SDU Operator Siu "Ying" Mei Lin , who considered him to be a "questionable asset" due to believing that he had a disregard for civilian lives. Over the next five years, Kessikbayev readily made himself available in team planning and execution of numerous operations against the White Masks. At one point, Kessikbayev was engaged for two years but later called the wedding off due to wanting to take a different path in life. At the end of the session, Kali asked Kessikbayev why he hesitated in firing. Kessikbayev explained that Apha "Aruni" Tawanroong was in his line of fire. Kessikbayev requested to tag along with them to see the equipment which Kali agreed to. Kali explained that it was rated to absorb or deflect most conventional high-caliber rounds. She also stated that it was light weight, increased reaction time, reduced muscle strain, and was sealed against the majority of biological and chemical weapons. Kessikbayev asked Kali if the equipment was Rainbow compliant and was told it was "more or less". Kessikbayev reminded Kali that she was supposed to wear her uniform for the Six Invitational. Kali dismissed Kessikbayev's comment, saying that the Masterframe would be her uniform and that it was only the beginning. Kessikbayev is an expert tinkerer and a master craftsman, more at ease with the workings of machines than those of people. His gruff demeanor and curt speech should not be mistaken for misanthropy. He possesses a strong moral conviction. To say that Specialist Shuhrat "Fuze" Kessikbayev is restrained does not give the full picture. I was reminded of my grandmother's phrase: "talking to him was like pulling teeth. I wouldn't say that he's difficult. He's quite pleasant and hospitable. But he is It took some work but we finally managed to have a revealing conversation. Kessikbayev is quiet except with Specialist Timur "Glaz" Glazkov. When he does speak, people tend to hang off his every word. Field reports mention that Kessikbayev readily makes himself available in team planning but often falls into a cone of silence during operations. It's critical that he maintains communications with his team, otherwise there may be further altercations such as the one with Specialist Siu Mei "Ying" Lin regarding civilian casualties. This is doubly critical given some of our operators come from units with "zero casualty" rules. It was necessary to address past reports about Kessikbayev's recklessness, so I asked him to describe an operation from his point of view. His objective, he explained, is to break down the defense as efficiently as possible, but insists he isn't careless. It's clear that his creative engineering skills are a critical asset. He's highly intelligent and calculating. While hard-hitting, Kessikbayev does possess good situational awareness. I suggested that he concentrate on improving this during future ops. I was unable to ascertain any details about his brother who is allegedly MIA. That file remains classified. However, I did manage to get Kessikbayev to open up a bit about his personal life. He was engaged for two years but the wedding was called off after he decided it was "not the road to take. I asked him to elaborate on the experiences, but in his typical understated way he simply replied, "It was interesting. It proved to be an effective means of clearing a room, dealing the most damage to hostiles while keeping the Operator relatively safe. The "Matryoshka" can be anchored either vertically or horizontally. Once deployed, the piston burrows through walls or floors, dispersing live cluster grenades while spinning to deal the most damage from any directions. The "Matryoshka" is most useful in conditions where collateral damage is not a concern. Not recommended for hostage extractions, or in areas where there is a high risk of friendly fire. I'll admit I'd already jumped on the device evaluations even before I received the official request. No surprise there, right? I was already familiar with the Matryoshka, having studied its trigger mechanism in relation to my Brimstone Charge. The mechanical assembly is modeled after aerial bomb fuzes when detonation is tied to a fuze with an integrated firing pin. It's less sophisticated than my Brimstone, but it doesn't need that to be effective. Clearing rooms and flushing out defenders is its primary function and I'd say it operates as designed. It actually has a benefit in that some targets are terrified of the boom. Shuhrat obviously understands the importance of classical conditioning. I just wish it only affected the people he's going up against, but that's the problem, with high explosives - they don't discriminate. This wiki. This wiki All wikis. Sign In Don't have an account? Start a Wiki. Do you like this video? Fuze armed with 6P41 Pre-Blood Orchid. Fuze armed with 6P41 Post-Blood Orchid. Fuze armed with Ballistic Shield. Fuze armed with AK Fuze armed with 6P Fuze and Kail as seen in the Six Invitational comic. Update 5. Update 3. Update 2. Stun Grenades are replaced with Smoke Grenades. Categories :. Universal Conquest Wiki. FandomShop Newsletter GalaxyQuest. Breach Charge x 3 Hard Breach Charge x 1. Spawning "Awaiting signal. Now we act. Year 1. Year 2. Year 3. Year 4. Year 5. Year 6. Quick Links. See also: Service Manual , Owner's Manual. Troubleshooting Troubleshooting 92 Troubleshooting charts Please take the time to read this manual thoroughly, so as to enjoy all advantages of your YZF-R6. Page 4: Important Manual Information This manual should be considered a permanent part of this motorcycle and should remain with it even if the motorcycle is subsequently sold. Yamaha continually seeks advancements in product design and quality. Therefore, while this manual contains the most current product information available at the time of printing, there may be minor discrepancies between your motorcycle and this manual. Any reprinting or unauthorized use without the written permission of Yamaha Motor Co. Printed in Japan. Page 9 Modifications made to this motorcycle other motorists can see you. Page 10 Maximum load: been specifically designed for use on create instability due to improper kg lb this motorcycle. Since Yamaha cannot weight distribution or aerody- test all other accessories that may be namic changes. If accessories When loading within this weight limit, Fuse box 2 page 8. Shock absorber assembly rebound damping force adjusting screw page 2. Front fork spring preload adjusting bolt page 9. Shift pedal page 3. Front fork rebound damping force adjusting screw page Engine oil filter cartridge page 4. Luggage strap holder page 9. Radiator cap page 2. Helmet holder page Coolant reservoir page 3. Fuse box 1 page Engine oil filler cap page 4. Main fuse page Coolant drain bolt page 5. Clutch lever page 2. Left handlebar switches page 3. Multi-function meter unit page 5. Right handlebar switches page 6. Brake lever page 7. Throttle grip page Page Instrument And Control Functions Do not expose any key to exces- a Yamaha dealer to have them re-reg- sively high temperatures. Do not use the key with the red Do not place any key close to bow for driving. The hazard lights and turn signal lights can be turned on, but all other electrical systems are off. If the warning light does not come on for a few seconds, then go off, have a Yamaha dealer check the electrical cir- cuit. Go ahead with riding. If the warning light does not come for a few seconds, then go off, have a on for a few seconds, then go off, have Yamaha dealer check the electrical cir- 1. Clock a Yamaha dealer check the electrical cuit. In that case, push the the stopwatch. Coolant temperature display 1. Air intake temperature display The coolant temperature display indi- The air intake temperature display indi- cates the temperature of the coolant. Page 25 If the right display indicates any error ror code. If the right display indicates error code ECA This setting whether or not the indicator light 1. Contact a Yamaha dealer for firm the selected engine speed. To cancel the turn signal Handlebar switches lights, push the switch in after it has re- turned to the center position. Brake lever 1. Brake pedal 2. In addition, the key cannot be removed if the cap is not properly closed and locked. If knocking or pinging oc While holding the key in that posi- EAU 3. Pass one of the other snap hooks Helmet holding cable tion, lift the front of the passenger of the cable through the helmet seat and pull it forward. To obtain a precise adjustment, This shock absorber assembly is each fork leg in direction a. Page 39 To increase the compression damping Always have a Yamaha dealer entire adjustment range. To obtain a force and thereby harden the compres- service the shock absorber. This system boosts engine under the passenger seat. Page 42 5. Push the start switch. Does the engine start? The neutral switch may be defective. The motorcycle should not be ridden until checked by a Yamaha dealer. With the engine still running: 6. Move the sidestand up. Keep the clutch lever pulled. Vital components can start to deteriorate quickly and unexpectedly, even if the vehicle remains unused for example, as a result of exposure to the elements. Any damage, fluid leakage or loss of tire air pressure could have serious consequences. Always make sure Never ride with the sidestand Yamaha dealer check the electrical cir- that there is adequate ventila- down. Page Tips For Reducing Fuel Consumption If any engine trouble should oc- result in engine overheating must be lights or at railroad crossings. Page Periodic Maintenance And Minor Repair If you are not familiar with mainte- certain maintenance work correctly. NOTE: If you do not have the tools or experi- ence required for a particular job, have a Yamaha dealer perform it for you. Page Periodic Maintenance And Lubrication Chart From km mi , repeat the maintenance intervals starting from km mi. Items marked with an asterisk should be performed by a Yamaha dealer as they require special tools, data and technical skills. Remove the bolts, quick fasteners, to be removed to perform some of the and quick fastener screw. Quick fastener screw 1. Quick fastener 1.

Cowling A 2. Quick fastener 2. Cowling B 3. Remove the forward-most projec- tion from the slot, slide the cowling forward, and then remove the re- maining projections from the slots as shown. Fit the projections into the slots, 3. Fit the projection on cowling A into slide the cowling rearward, and the hole in cowling B as shown. Fit the slot in cowling C over the projection on the front cowling. Plastic fastener 1. Panel B 2. Projection 2. Bolt 3. Wire harness To install the panel 1. Page Checking The Spark Plugs Do not attempt to diagnose wipe off any grime from the spark plug such problems yourself. Instead, have threads. If a spark plug shows signs of electrode Tightening torque: Spark plug: erosion and excessive carbon or other Remove the engine oil dipstick and Engine oil and oil filter car- wipe it clean, insert it back into the tridge hole without screwing it in , and The engine oil level should be checked then remove it again to check the before each ride. Page 62 NOTE: and drain bolt to drain the oil from An oil filter wrench is available at a the crankcase. Yamaha dealer. Apply a thin coat of engine oil to the O-ring of the new oil filter car- tridge. Bolt 2. Page Coolant If the oil level warning light flickers EAU or remains on, immediately turn the To check the coolant level engine off and have a Yamaha dealer 1. Place the vehicle on a level sur- check the vehicle. Place a container under the engine to collect the used coolant. Remove the radiator cap. Coolant drain bolt 1. If Coolant drain bolt: coolant is leaking, have a Yamaha If coolant is not available, use 10 Nm 1. Page Air Filter Element The engine idling speed must be maintenance and lubrication chart. Page Valve Clearance kPa 36 psi 2. Page 70 Tire information glass fragments in it, or if the sidewall is weight evenly on both sides. TR Valve core: Always make sure that the valve original caps are securely installed to prevent air pressure leakage. Page Cast Wheels If any damage is 2. Loosen the locknut at the crank- found, have a Yamaha dealer re- case. Do not attempt 3. To increase the clutch lever free Page Adjusting The Rear Brake Light Switch EAU the point that a wear indicator almost Adjusting the rear brake light Checking the front and rear touches the brake disc, have a Yamaha switch brake pads dealer replace the brake pads as a set. The front and rear brake pads must be Minimum level mark brake fluid, otherwise the rubber denly, have a Yamaha dealer Rear brake seals may deteriorate, causing check the cause. Recommended lubricant: Lithium-soap-based grease Page Checking The Front Fork Securely support the vehicle so that fork does not operate smoothly, damage and excessive oil leakage. To check the operation 2. Hold the lower ends of the front 1. To charge the battery Have a Yamaha dealer charge the bat- tery as soon as possible if it seems to have discharged. Keep in mind that the battery tends to discharge more quickly if the vehicle is equipped with optional electrical accessories. Page 82 4. After installation, make sure that sealed-type MF battery charg- tities of water or milk and im- the battery leads are properly con- have a Yamaha dealer mediately call a physician. See page If the fuse immediately blows EAU 3. Unhook the headlight bulb holder, Replacing a headlight bulb again, have a Yamaha dealer and then remove the defective This model is equipped with quartz bulb check the electrical system. Remove the turn signal light lens 1. Remove the license plate light unit by removing the screw. Page Auxiliary Light 1. Stabilize the rear of the motorcycle If the auxiliary light does not come on, by using a motorcycle stand or, if have a Yamaha dealer check it. Page Front Wheel 4. Remove the brake caliper on each To remove the front wheel side by removing the bolts. Securely support the motor- cycle so that there is no danger of it falling over. Tightening torque: Brake caliper bolt: 35 Nm 3. Wheel axle 1. Turn the drive chain slack adjust- It is advisable to have a Yamaha fork operation. Page Troubleshooting Drive chain slack adjusting bolt: self. However, should your motorcycle 2 Nm 0. Tighten the locknuts to their speci- dealer, whose skilled technicians have fied torque. Page Troubleshooting Charts Remove the spark plugs and check the electrodes. The engine does not start. Have a Yamaha dealer check the vehicle. Check the battery. Battery The engine turns over The battery is good. Page 94 Start the engine. If the engine overheats again, have a The coolant level Yamaha dealer check and repair the cooling system. NOTE: If coolant is not available, tap water can be temporarily used instead, provided that it is changed to the recommended coolant as soon as possible. Be Cleaning even if high-quality components are sure to consult a Yamaha dealer for ECA advice on what products to use be- used. Salt sprayed on roads in the winter may be used. Test the product on a small hid- remain well into spring. Page 97 Note that the thermally induced discoloring of the portion of the ex- Make sure that there is no oil or Consult a Yamaha dealer for advice on haust pipe leading into the titanium what products to use. Perform the following steps to pro- 4. Lubricate all control cables and the Storage tect the cylinders, piston rings, etc. Page Consumer Information Record the key identification number, vehicle identification number and mod- el label information in the spaces pro- vided below for assistance when ordering spare parts from a Yamaha dealer or for reference in case the vehi- cle is stolen. Page The model label is affixed to the frame under the passenger seat. Record the information on this la- bel in the space provided. This informa- tion will be needed when ordering spare parts from a Yamaha dealer. This manual is also suitable for: yzf-r6x. Print page 1 Print document pages. Cancel Delete. Sign In OR. Don't have an account? Sign up! Restore password. Upload from disk. Upload from URL. Fuze is best played as an aggressive flanker and area denial Operator. His strengths allow him to dispatch defensive capabilities and harass enemies anchored in defensive positions. Fuze's APM-6 cluster charge propels a group of explosive cluster grenades through any soft breach surface. Growing up in a military family in Samarkand, Uzbekistan, Shuhrat Kessikbayev immigrated to Russia shortly before the fall of the Soviet Union. From an early age Kessikbayev displayed an aptitude for science. His interest in mechanical engineering was honed in the military where he also trained as a machinist. Kessikbayev has applied these skills in numerous engineering projects, including his own weapon, and his ability to improvise in the field with scrap materials and minimal tools has made him a legend among his fellow recruits. This is one of the key reasons he is an asset to Rainbow Operations. During his time in the 27th Motor Rifle Brigade he excelled as a sharpshooter and has extensive weapon knowledge. Deployment within the Spetsnaz is confirmed, however, all operation details remain classified. Kessikbayev is fluent in Uzbek, Russian, Ukrainian, and English. But he isâ€¦ contained. It took some work but we finally managed to have a revealing conversation. When he does speak, people tend to hang off his every word. Field reports mention that Kessikbayev readily makes himself available in team planning but often falls into a cone of silence during operations. It was necessary to address past reports about Kessikbayev's recklessness, so I asked him to describe an operation from his point of view. While hard-hitting, Kessikbayev does possess good situational awareness. I suggested that he concentrate on improving this during future ops. I was unable to ascertain any details about his brother who is allegedly MIA. That file remains classified. However, I did manage to get Kessikbayev to open up a bit about his personal life. Fuze is good for more than just killing defenders. His cluster charge can destroy all gadgets placed in a defensive stronghold. If you can get above a hallway or room full of barbed wire, traps or defenders, your cluster charge will shoot small charges that will guarantee an easier entry later in the round.

1968 mustang dash
2007 kenworth t800 fuse panel diagram
troy bilt pony lawn tractor manual

Defenders have a few seconds to get away or take cover from the damage of the APM-6 cluster charge. They will often take the shortest route. Be ready with a line of sight and pick them off one by one as they run to safety - strong to counter anchor players in predictable spots. The cluster charge might seem chaotic, but it's more predictable than you think - it will always disperse in a fan like pattern, starting from left to right. How you place it in will greatly impact the spread and area covered by the Cluster - experiment with this and learn to cover as much ground as possible. Ubisoft Logo An illustrated Ubisoft logo with Ubisoft title. Back Arrow Left Black arrow pointing left. Buy Now. Game Info Learn Operators Maps. Year 5 Pass. Presentation Loadout Biography Gameplay Tips. Show Elite Skin. Loadout Primary Weapon AK Ballistic Shield. Secondary Weapon PMM. Gadget Breach Charge. Unique Ability Cluster Charge. Real Name. Date of Birth. Place of Birth. Visit Other Social Channels.